

現況河道流下能力算定表 (H27. 3時点)

距離標	H-Q式 【 $Q=a*(H+b)^2$ 】		HWL		計画堤防高		堤防天端高				スライド堤防高				スライドー余裕高			
	a	b	評価高	流下能力	評価高	流下能力	左岸		右岸		左岸		右岸		左岸		右岸	
							評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力
-0.350	451.65	0.225	4.00	8,063	7.00	23,577	6.88	22,826	6.18	18,552	6.00	17,502	6.00	17,502	4.00	8,063	4.00	8,063
-0.200	421.79	0.200	4.00	7,439	7.00	21,864	6.87	21,105	6.15	17,028	6.00	16,212	6.00	16,212	4.00	7,439	4.00	7,439
0.000	482.03	0.088	4.00	8,054	7.00	24,215	6.55	21,263	5.84	16,960	6.00	17,864	5.84	16,960	4.00	8,054	4.64	10,792
0.200	478.46	0.072	4.10	8,326	7.00	23,926	6.57	21,130	5.72	16,071	6.00	17,638	5.72	16,071	4.10	8,326	4.52	10,105
0.400	391.51	0.098	4.27	7,469	7.00	19,724	6.61	17,637	7.00	19,724	6.00	14,558	6.00	14,558	4.27	7,469	4.27	7,469
0.600	373.43	0.078	4.39	7,453	7.00	18,705	6.80	17,684	7.00	18,705	6.00	13,793	6.00	13,793	4.39	7,453	4.39	7,453
0.800	340.94	0.039	4.53	7,119	7.00	16,895	6.20	13,273	7.00	16,895	6.00	12,436	6.00	12,436	4.53	7,119	4.53	7,119
1.000	294.06	0.057	4.67	6,570	7.00	14,644	6.20	11,512	7.00	14,644	6.00	10,788	6.00	10,788	4.67	6,570	4.67	6,570
1.200	345.13	-0.123	4.81	7,582	7.00	16,323	6.20	12,746	6.20	12,746	6.00	11,921	6.00	11,921	4.80	7,550	4.80	7,550
1.400	296.85	-0.058	4.93	7,045	7.00	14,304	6.20	11,197	6.20	11,197	6.00	10,480	6.00	10,480	4.80	6,674	4.80	6,674
1.600	212.62	0.213	5.07	5,933	7.00	11,061	6.20	8,743	6.20	8,743	6.00	8,206	6.00	8,206	4.80	5,342	4.80	5,342
1.800	114.45	0.979	5.19	4,355	7.00	7,286	6.20	5,898	6.20	5,898	6.00	5,574	6.00	5,574	4.80	3,822	4.80	3,822
2.000	96.53	0.905	5.33	3,753	7.00	6,032	6.20	4,873	6.20	4,873	6.00	4,602	6.00	4,602	4.80	3,142	4.80	3,142
2.200	87.62	0.850	5.46	3,489	6.66	4,942	5.68	3,741	6.35	4,548	5.68	3,741	6.35	4,548	4.48	2,493	5.15	3,159
2.400	79.41	0.820	5.61	3,283	6.81	4,623	5.87	3,558	6.38	4,121	5.87	3,558	6.38	4,121	4.67	2,397	5.18	2,862
2.600	78.68	0.754	5.73	3,308	6.93	4,646	6.41	4,043	6.60	4,260	6.41	4,043	6.60	4,260	5.21	2,802	5.40	2,984
2.800	74.13	0.704	5.87	3,203	7.07	4,479	6.70	4,068	6.78	4,156	6.70	4,068	6.78	4,156	5.50	2,856	5.58	2,931
3.000	72.96	0.645	6.00	3,222	7.20	4,490	6.95	4,213	6.98	4,246	6.95	4,213	6.98	4,246	5.75	2,987	5.78	3,016
3.200	73.48	0.433	6.15	3,184	7.35	4,451	7.46	4,582	7.92	5,132	7.35	4,451	7.35	4,451	6.15	3,184	6.15	3,184
3.400	71.47	0.426	6.32	3,253	7.52	4,513	7.44	4,427	7.87	4,924	7.44	4,427	7.52	4,513	6.24	3,180	6.32	3,253
3.600	67.71	0.533	6.44	3,292	7.64	4,523	7.55	4,428	8.10	5,051	7.55	4,428	7.64	4,523	6.35	3,211	6.44	3,292
3.800	64.45	0.495	6.60	3,245	7.80	4,435	7.66	4,291	8.17	4,844	7.66	4,291	7.80	4,435	6.46	3,121	6.60	3,245
4.000	61.12	0.462	6.76	3,188	7.96	4,336	7.75	4,126	7.86	4,238	7.75	4,126	7.86	4,238	6.55	3,009	6.66	3,104
4.200	58.49	0.446	6.91	3,165	8.11	4,282	8.28	4,458	8.43	4,612	8.11	4,282	8.11	4,282	6.91	3,165	6.91	3,165
4.400	57.01	0.323	7.06	3,108	8.26	4,200	8.83	4,781	8.60	4,535	8.26	4,200	8.26	4,200	7.06	3,108	7.06	3,108
4.600	148.80	-2.187	7.23	3,784	8.43	5,799	9.01	6,934	8.83	6,574	8.43	5,799	8.43	5,799	7.23	3,784	7.23	3,784
4.800	129.40	-2.135	7.39	3,574	8.59	5,392	8.87	5,877	9.04	6,177	8.59	5,392	8.59	5,392	7.39	3,574	7.39	3,574
5.000	113.42	-2.101	7.54	3,355	8.74	4,999	8.81	5,111	9.09	5,547	8.74	4,999	8.74	4,999	7.54	3,355	7.54	3,355
5.200	103.60	-2.168	7.69	3,159	8.89	4,681	9.46	5,515	9.53	5,621	8.89	4,681	8.89	4,681	7.69	3,159	7.69	3,159
5.400	96.59	-2.186	7.85	3,098	9.05	4,550	10.12	6,086	9.40	5,032	9.05	4,550	9.05	4,550	7.85	3,098	7.85	3,098
5.600	90.10	-2.200	8.01	3,042	9.21	4,428	10.11	5,638	9.83	5,251	9.21	4,428	9.21	4,428	8.01	3,042	8.01	3,042
5.800	85.92	-2.263	8.17	2,998	9.37	4,340	10.17	5,377	9.85	4,951	9.37	4,340	9.37	4,340	8.17	2,998	8.17	2,998
6.000	81.66	-2.257	8.31	2,992	9.51	4,296	10.28	5,262	9.51	4,296	9.51	4,296	9.51	4,296	8.31	2,992	8.31	2,992
6.200	79.96	-2.347	8.47	2,998	9.67	4,288	10.51	5,333	9.67	4,288	9.67	4,288	9.67	4,288	8.47	2,998	8.47	2,998
6.400	75.32	-2.339	8.61	2,962	9.81	4,204	10.69	5,258	10.21	4,671	9.81	4,204	9.81	4,204	8.61	2,962	8.61	2,962
6.600	69.53	-2.360	8.77	2,857	9.97	4,027	10.69	4,830	10.50	4,612	9.97	4,027	9.97	4,027	8.77	2,857	8.77	2,857
6.800	64.72	-2.323	8.93	2,825	10.13	3,945	10.84	4,699	10.42	4,247	10.13	3,945	10.13	3,945	8.93	2,825	8.93	2,825
7.000	61.92	-2.333	9.09	2,827	10.29	3,920	11.15	4,818	10.66	4,298	10.29	3,920	10.29	3,920	9.09	2,827	9.09	2,827
7.200	72.00	-2.939	9.26	2,877	10.46	4,073	11.25	4,978	10.96	4,633	10.46	4,073	10.46	4,073	9.26	2,877	9.26	2,877
7.400	96.09	-3.928	9.42	2,899	10.62	4,304	11.42	5,400	11.00	4,812	10.62	4,304	10.62	4,304	9.42	2,899	9.42	2,899
7.600	89.78	-3.945	9.57	2,840	10.77	4,181	11.61	5,280	11.18	4,704	10.77	4,181	10.77	4,181	9.57	2,840	9.57	2,840
7.800	85.86	-4.129	9.72	2,684	10.92	3,960	11.46	4,619	11.14	4,225	10.92	3,960	10.92	3,960	9.72	2,684	9.72	2,684
8.000	68.63	-4.044	9.88	2,338	11.08	3,398	10.94	3,268	11.65	3,975	10.94	3,268	11.08	3,398	9.74	2,230	9.88	2,338
8.200	65.18	-3.994	10.03	2,374	11.23	3,412	11.25	3,435	11.04	3,239	11.23	3,412	11.04	3,239	10.03	2,374	9.84	2,230
8.400	84.90	-4.984	10.17	2,283	11.37	3,462	11.26	3,348	11.22	3,306	11.26	3,348	11.22	3,306	10.06	2,191	10.02	2,157
8.600	73.25	-4.926	10.30	2,115	11.50	3,165	11.50	3,165	11.50	3,165	11.50	3,165	11.50	3,165	10.30	2,115	10.30	2,115
8.800	87.17	-5.284	10.52	2,390	11.72	3,611	11.56	3,438	11.61	3,493	11.56	3,438	11.61	3,493	10.36	2,249	10.41	2,294

現況河道流下能力算定表 (H27. 3時点)

距離標	H-Q式 【 $Q=a*(H+b)^2$ 】		HWL		計画堤防高		堤防天端高				スライド堤防高				スライドー余裕高			
	a	b	評価高	流下能力	評価高	流下能力	左岸		右岸		左岸		右岸		左岸		右岸	
							評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力
9.000	73.96	-5.033	10.69	2,367	11.89	3,477	11.77	3,360	11.74	3,331	11.77	3,360	11.74	3,331	10.57	2,270	10.54	2,246
9.200	69.73	-5.241	10.93	2,257	12.13	3,309	11.97	3,161	12.03	3,218	11.97	3,161	12.03	3,218	10.77	2,135	10.83	2,181
9.400	59.02	-5.067	11.12	2,162	12.32	3,104	12.37	3,151	12.32	3,104	12.32	3,104	12.32	3,104	11.12	2,162	11.12	2,162
9.600	49.85	-4.899	11.31	2,049	12.51	2,888	12.50	2,880	12.47	2,861	12.50	2,880	12.47	2,861	11.30	2,045	11.27	2,026
9.800	50.46	-5.063	11.54	2,117	12.74	2,974	12.65	2,908	12.62	2,885	12.65	2,908	12.62	2,885	11.45	2,061	11.42	2,042
10.000	49.54	-5.205	11.75	2,122	12.95	2,972	12.95	2,972	12.95	2,972	12.95	2,972	12.95	2,972	11.75	2,122	11.75	2,122
10.200	49.19	-5.406	12.06	2,178	13.26	3,034	13.26	3,034	13.34	3,099	13.26	3,034	13.26	3,034	12.06	2,178	12.06	2,178
10.400	48.96	-5.531	12.27	2,224	13.47	3,086	13.32	2,974	13.37	3,012	13.32	2,974	13.37	3,012	12.12	2,129	12.17	2,161
10.600	46.92	-5.565	12.48	2,244	13.68	3,090	14.65	3,876	14.78	3,988	13.68	3,090	13.68	3,090	12.48	2,244	12.48	2,244
10.800	46.23	-5.666	12.70	2,287	13.90	3,134	13.71	2,994	13.79	3,054	13.71	2,994	13.79	3,054	12.51	2,168	12.59	2,219
11.000	46.85	-6.056	12.93	2,214	14.13	3,054	14.02	2,974	14.00	2,960	14.02	2,974	14.00	2,960	12.82	2,146	12.80	2,133
11.200	48.83	-6.119	13.08	2,366	14.28	3,252	14.40	3,351	14.28	3,252	14.28	3,252	14.28	3,252	13.08	2,366	13.08	2,366
11.400	49.70	-6.227	13.24	2,444	14.44	3,352	14.37	3,298	14.31	3,250	14.37	3,298	14.31	3,250	13.17	2,398	13.11	2,357
11.600	51.82	-6.577	13.57	2,534	14.77	3,479	14.66	3,389	14.66	3,389	14.66	3,389	14.66	3,389	13.46	2,458	13.46	2,458
11.800	48.01	-6.548	13.87	2,574	15.07	3,486	15.07	3,486	16.83	5,079	15.07	3,486	15.07	3,486	13.87	2,574	13.87	2,574
12.000	54.06	-6.886	14.12	2,829	15.32	3,846	15.22	3,759	15.32	3,846	15.22	3,759	15.32	3,846	14.02	2,755	14.12	2,829
12.200	45.29	-6.701	14.41	2,691	15.61	3,594	15.52	3,525	15.68	3,654	15.52	3,525	15.61	3,594	14.32	2,631	14.41	2,691
12.400	47.71	-6.896	14.70	2,906	15.90	3,868	15.78	3,769	15.81	3,795	15.78	3,769	15.81	3,795	14.58	2,820	14.61	2,842
12.600	44.74	-7.088	14.99	2,794	16.19	3,707	16.08	3,621	16.19	3,707	16.08	3,621	16.19	3,707	14.88	2,719	14.99	2,794
12.800	41.35	-7.095	15.28	2,770	16.48	3,642	16.39	3,576	16.48	3,642	16.39	3,576	16.48	3,642	15.19	2,712	15.28	2,770
13.000	41.99	-7.370	15.56	2,817	16.76	3,702	16.70	3,658	16.56	3,549	16.70	3,658	16.56	3,549	15.50	2,778	15.36	2,683
13.200	40.71	-7.439	15.87	2,894	17.07	3,776	17.56	4,174	18.53	5,012	17.07	3,776	17.07	3,776	15.87	2,894	15.87	2,894
13.400	43.27	-7.988	16.13	2,869	17.33	3,777	16.03	2,799	16.03	2,799	16.03	2,799	16.03	2,799	14.83	2,026	14.83	2,026
13.600	40.07	-8.018	16.42	2,829	17.62	3,695	16.32	2,762	16.33	2,772	16.32	2,762	16.33	2,772	15.12	2,022	15.13	2,030
13.800	46.14	-8.364	16.69	3,199	17.89	4,187	16.59	3,122	16.53	3,080	16.59	3,122	16.53	3,080	15.39	2,278	15.33	2,242
14.000	41.35	-8.346	16.95	3,062	18.15	3,975	17.01	3,107	17.71	3,630	17.01	3,107	17.71	3,630	15.81	2,307	16.51	2,759
14.200	33.19	-8.166	17.29	2,763	18.49	3,537	18.49	3,537	17.98	3,197	18.49	3,537	17.98	3,197	17.29	2,763	16.78	2,463
14.400	30.90	-8.353	17.54	2,608	18.74	3,334	17.54	2,608	18.61	3,254	17.54	2,608	18.61	3,254	16.34	1,971	17.41	2,537
14.600	28.98	-8.503	17.80	2,505	19.00	3,193	17.88	2,551	17.74	2,475	17.88	2,551	17.74	2,475	16.68	1,940	16.54	1,874
14.800	28.92	-8.513	18.06	2,636	19.26	3,340	19.26	3,340	19.13	3,262	19.26	3,340	19.13	3,262	18.06	2,636	17.93	2,567
15.000	28.68	-8.809	18.27	2,567	19.47	3,260	19.47	3,260	20.21	3,730	19.47	3,260	19.47	3,260	18.27	2,567	18.27	2,567
15.200	31.76	-9.580	18.63	2,602	19.83	3,337	19.83	3,337	20.05	3,485	19.83	3,337	19.83	3,337	18.63	2,602	18.63	2,602
15.400	37.20	-10.313	19.01	2,814	20.21	3,644	20.21	3,644	20.48	3,849	20.21	3,644	20.21	3,644	19.01	2,814	19.01	2,814
15.600	41.34	-10.622	19.35	3,149	20.55	4,074	20.55	4,074	20.40	3,955	20.55	4,074	20.40	3,955	19.35	3,149	19.20	3,044
15.800	67.16	-12.045	19.74	3,977	20.94	5,314	18.27	2,606	19.61	3,848	18.27	2,606	19.61	3,848	17.07	1,699	18.41	2,724
16.000	39.23	-11.375	20.06	2,959	21.26	3,833	21.26	3,833	18.39	1,932	21.26	3,833	18.39	1,932	20.06	2,959	17.19	1,328
16.200	31.04	-11.217	20.38	2,606	21.58	3,333	21.58	3,333	20.61	2,741	21.58	3,333	20.61	2,741	20.38	2,606	19.41	2,086
16.400	31.20	-11.578	20.76	2,631	21.96	3,363	19.41	1,914	20.76	2,631	19.41	1,914	20.76	2,631	18.21	1,373	19.56	1,988
16.600	58.62	-14.253	21.14	2,780	22.34	3,833	22.34	3,833	19.53	1,634	22.34	3,833	19.53	1,634	21.14	2,780	18.33	976
16.800	80.58	-14.947	21.50	3,460	22.70	4,844	20.50	2,488	22.70	4,844	20.50	2,488	22.70	4,844	19.30	1,530	21.50	3,460
17.000	42.25	-14.681	21.88	2,189	23.08	2,980	23.08	2,980	23.08	2,980	23.08	2,980	23.08	2,980	21.88	2,189	21.88	2,189
17.200	54.23	-15.643	22.22	2,346	23.42	3,280	23.42	3,280	20.81	1,450	23.42	3,280	20.81	1,450	22.22	2,346	19.61	855

整備計画河道流下能力算定表

距離標	H-Q式		HWL		計画堤防高		堤防天端高				スライド堤防高				スライド余裕高			
	【Q=a*(H+b)²】		評価高	流下能力	評価高	流下能力	左岸		右岸		左岸		右岸		左岸		右岸	
	a	b					評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力
-0.350	388.32	0.418	4.00	7.581	7.00	21.370	6.00	15.997	6.00	15.997	6.00	15.997	6.00	15.997	4.00	7.581	4.00	7.581
-0.200	368.18	0.390	4.00	7.096	7.00	20.108	6.00	15.035	6.00	15.035	6.00	15.035	6.00	15.035	4.00	7.096	4.00	7.096
0.000	416.94	0.253	4.00	7.542	7.00	21.934	6.00	16.303	6.00	16.303	6.00	16.303	6.00	16.303	4.00	7.542	4.00	7.542
0.200	424.77	0.196	4.10	7.841	7.00	21.998	6.00	16.309	6.00	16.309	6.00	16.309	6.00	16.309	4.10	7.841	4.10	7.841
0.400	374.71	0.184	4.27	7.432	7.00	19.337	6.00	14.328	6.00	14.328	6.00	14.328	6.00	14.328	4.27	7.432	4.27	7.432
0.600	359.49	0.159	4.39	7.440	7.00	18.425	6.00	13.637	6.00	13.637	6.00	13.637	6.00	13.637	4.39	7.440	4.39	7.440
0.800	305.39	0.198	4.53	6.827	7.00	15.823	6.00	11.732	6.00	11.732	6.00	11.732	6.00	11.732	4.53	6.827	4.53	6.827
1.000	260.89	0.221	4.67	6.242	7.00	13.605	6.00	10.098	6.00	10.098	6.00	10.098	6.00	10.098	4.67	6.242	4.67	6.242
1.200	253.86	0.169	4.81	6.293	7.00	13.046	6.00	9.660	6.00	9.660	6.00	9.660	6.00	9.660	4.80	6.268	4.80	6.268
1.400	229.61	0.210	4.93	6.065	7.00	11.935	6.00	8.854	6.00	8.854	6.00	8.854	6.00	8.854	4.80	5.762	4.80	5.762
1.600	229.78	0.151	5.07	6.263	7.00	11.750	6.00	8.693	6.00	8.693	6.00	8.693	6.00	8.693	4.80	5.632	4.80	5.632
1.800	128.95	0.824	5.19	4.664	7.00	7.893	6.00	6.005	6.00	6.005	6.00	6.005	6.00	6.005	4.80	4.078	4.80	4.078
2.000	101.18	0.913	5.33	3.943	7.00	6.335	6.00	4.835	6.00	4.835	6.00	4.835	6.00	4.835	4.80	3.302	4.80	3.302
2.200	89.88	0.926	5.46	3.666	6.66	5.173	6.66	5.173	6.66	5.173	6.66	5.173	6.66	5.173	5.46	3.666	5.46	3.666
2.400	83.81	0.875	5.61	3.525	6.81	4.950	6.81	4.950	6.81	4.950	6.81	4.950	6.81	4.950	5.61	3.525	5.61	3.525
2.600	81.52	0.834	5.73	3.512	6.93	4.913	6.93	4.913	6.93	4.913	6.93	4.913	6.93	4.913	5.73	3.512	5.73	3.512
2.800	79.09	0.663	5.87	3.375	7.07	4.729	7.07	4.729	7.07	4.729	7.07	4.729	7.07	4.729	5.87	3.375	5.87	3.375
3.000	79.42	0.512	6.00	3.368	7.20	4.723	7.20	4.723	7.20	4.723	7.20	4.723	7.20	4.723	6.00	3.368	6.00	3.368
3.200	78.71	0.333	6.15	3.309	7.35	4.647	7.35	4.647	7.35	4.647	7.35	4.647	7.35	4.647	6.15	3.309	6.15	3.309
3.400	74.87	0.354	6.32	3.335	7.52	4.642	7.52	4.642	7.52	4.642	7.52	4.642	7.52	4.642	6.32	3.335	6.32	3.335
3.600	70.91	0.447	6.44	3.363	7.64	4.637	7.64	4.637	7.64	4.637	7.64	4.637	7.64	4.637	6.44	3.363	6.44	3.363
3.800	73.02	0.117	6.60	3.294	7.80	4.577	7.80	4.577	7.80	4.577	7.80	4.577	7.80	4.577	6.60	3.294	6.60	3.294
4.000	70.31	0.056	6.76	3.266	7.96	4.517	7.96	4.517	7.96	4.517	7.96	4.517	7.96	4.517	6.76	3.266	6.76	3.266
4.200	68.04	-0.018	6.91	3.232	8.11	4.455	8.11	4.455	8.11	4.455	8.11	4.455	8.11	4.455	6.91	3.232	6.91	3.232
4.400	65.84	-0.176	7.06	3.120	8.26	4.303	8.26	4.303	8.26	4.303	8.26	4.303	8.26	4.303	7.06	3.120	7.06	3.120
4.600	133.77	-2.186	7.23	3.403	8.43	5.215	8.43	5.215	8.43	5.215	8.43	5.215	8.43	5.215	7.23	3.403	7.23	3.403
4.800	122.51	-2.126	7.39	3.395	8.59	5.119	8.59	5.119	8.59	5.119	8.59	5.119	8.59	5.119	7.39	3.395	7.39	3.395
5.000	108.07	-2.064	7.54	3.241	8.74	4.817	8.74	4.817	8.74	4.817	8.74	4.817	8.74	4.817	7.54	3.241	7.54	3.241
5.200	102.73	-2.173	7.69	3.126	8.89	4.634	8.89	4.634	8.89	4.634	8.89	4.634	8.89	4.634	7.69	3.126	7.69	3.126
5.400	95.66	-2.287	7.85	2.961	9.05	4.376	9.05	4.376	9.05	4.376	9.05	4.376	9.05	4.376	7.85	2.961	7.85	2.961
5.600	90.22	-2.289	8.01	2.953	9.21	4.321	9.21	4.321	9.21	4.321	9.21	4.321	9.21	4.321	8.01	2.953	8.01	2.953
5.800	87.56	-2.353	8.17	2.963	9.37	4.312	9.37	4.312	9.37	4.312	9.37	4.312	9.37	4.312	8.17	2.963	8.17	2.963
6.000	85.82	-2.411	8.31	2.987	9.51	4.325	9.51	4.325	9.51	4.325	9.51	4.325	9.51	4.325	8.31	2.987	8.31	2.987
6.200	82.84	-2.480	8.47	2.972	9.67	4.282	9.67	4.282	9.67	4.282	9.67	4.282	9.67	4.282	8.47	2.972	8.47	2.972
6.400	77.83	-2.478	8.61	2.926	9.81	4.183	9.81	4.183	9.81	4.183	9.81	4.183	9.81	4.183	8.61	2.926	8.61	2.926
6.600	79.82	-2.653	8.77	2.986	9.97	4.273	9.97	4.273	9.97	4.273	9.97	4.273	9.97	4.273	8.77	2.986	8.77	2.986
6.800	70.32	-2.490	8.93	2.917	10.13	4.105	10.13	4.105	10.13	4.105	10.13	4.105	10.13	4.105	8.93	2.917	8.93	2.917
7.000	64.37	-2.415	9.09	2.868	10.29	3.992	10.29	3.992	10.29	3.992	10.29	3.992	10.29	3.992	9.09	2.868	9.09	2.868
7.200	55.56	-2.074	9.26	2.869	10.46	3.907	10.46	3.907	10.46	3.907	10.46	3.907	10.46	3.907	9.26	2.869	9.26	2.869
7.400	76.23	-3.371	9.42	2.789	10.62	4.006	10.62	4.006	10.62	4.006	10.62	4.006	10.62	4.006	9.42	2.789	9.42	2.789
7.600	73.52	-3.265	9.57	2.923	10.77	4.141	10.77	4.141	10.77	4.141	10.77	4.141	10.77	4.141	9.57	2.923	9.57	2.923
7.800	66.48	-3.421	9.72	2.638	10.92	3.739	10.92	3.739	10.92	3.739	10.92	3.739	10.92	3.739	9.72	2.638	9.72	2.638
8.000	62.14	-3.700	9.88	2.373	11.08	3.384	11.08	3.384	11.08	3.384	11.08	3.384	11.08	3.384	9.88	2.373	9.88	2.373
8.200	47.90	-3.087	10.03	2.309	11.23	3.176	11.23	3.176	11.23	3.176	11.23	3.176	11.23	3.176	10.03	2.309	10.03	2.309
8.400	72.75	-4.839	10.17	2.068	11.37	3.104	11.37	3.104	11.37	3.104	11.37	3.104	11.37	3.104	10.17	2.068	10.17	2.068
8.600	64.52	-4.836	10.30	1.926	11.50	2.865	11.50	2.865	11.50	2.865	11.50	2.865	11.50	2.865	10.41	2.004	10.41	2.004
8.800	75.05	-5.174	10.52	2.145	11.72	3.216	11.72	3.216	11.72	3.216	11.72	3.216	11.72	3.216	10.52	2.145	10.52	2.145

整備計画河道流下能力算定表

距離標	H-Q式		HWL		計画堤防高		堤防天端高				スライド堤防高				スライド余裕高			
	【 $Q=a*(H+b)^2$ 】		評価高	流下能力	評価高	流下能力	左岸		右岸		左岸		右岸		左岸		右岸	
	a	b					評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力	評価高	流下能力
9.000	64.43	-4.845	10.69	2.201	11.89	3.198	11.89	3.198	11.89	3.198	11.89	3.198	11.89	3.198	10.69	2.201	10.69	2.201
9.200	64.55	-5.150	10.93	2.157	12.13	3.145	12.13	3.145	12.13	3.145	12.13	3.145	12.13	3.145	10.93	2.157	10.93	2.157
9.400	59.22	-5.084	11.12	2.158	12.32	3.101	12.32	3.101	12.32	3.101	12.32	3.101	12.32	3.101	11.12	2.158	11.12	2.158
9.600	50.24	-4.969	11.31	2.020	12.51	2.857	12.51	2.857	12.51	2.857	12.51	2.857	12.51	2.857	11.31	2.020	11.31	2.020
9.800	50.93	-5.105	11.54	2.109	12.74	2.969	12.74	2.969	12.74	2.969	12.74	2.969	12.74	2.969	11.54	2.109	11.54	2.109
10.000	50.05	-5.206	11.75	2.143	12.95	3.001	12.95	3.001	12.95	3.001	12.95	3.001	12.95	3.001	11.75	2.143	11.75	2.143
10.200	48.82	-5.307	12.06	2.226	13.26	3.088	13.26	3.088	13.26	3.088	13.26	3.088	13.26	3.088	12.06	2.226	12.06	2.226
10.400	48.57	-5.468	12.27	2.248	13.47	3.111	13.47	3.111	13.47	3.111	13.47	3.111	13.47	3.111	12.27	2.248	12.27	2.248
10.600	45.79	-5.432	12.48	2.275	13.68	3.116	13.68	3.116	13.68	3.116	13.68	3.116	13.68	3.116	12.48	2.275	12.48	2.275
10.800	45.25	-5.482	12.70	2.358	13.90	3.207	13.90	3.207	13.90	3.207	13.90	3.207	13.90	3.207	12.70	2.358	12.70	2.358
11.000	45.97	-5.811	12.93	2.330	14.13	3.181	14.13	3.181	14.13	3.181	14.13	3.181	14.13	3.181	12.93	2.330	12.93	2.330
11.200	47.30	-5.816	13.08	2.496	14.28	3.388	14.28	3.388	14.28	3.388	14.28	3.388	14.28	3.388	13.08	2.496	13.08	2.496
11.400	48.28	-5.948	13.24	2.567	14.44	3.482	14.44	3.482	14.44	3.482	14.44	3.482	14.44	3.482	13.24	2.567	13.24	2.567
11.600	52.80	-6.460	13.57	2.669	14.77	3.646	14.77	3.646	14.77	3.646	14.77	3.646	14.77	3.646	13.57	2.669	13.57	2.669
11.800	45.92	-6.444	13.87	2.532	15.07	3.417	15.07	3.417	15.07	3.417	15.07	3.417	15.07	3.417	13.87	2.532	13.87	2.532
12.000	56.26	-6.857	14.12	2.968	15.32	4.030	15.32	4.030	15.32	4.030	15.32	4.030	15.32	4.030	14.12	2.968	14.12	2.968
12.200	46.20	-6.605	14.41	2.814	15.61	3.746	15.61	3.746	15.61	3.746	15.61	3.746	15.61	3.746	14.41	2.814	14.41	2.814
12.400	45.31	-6.587	14.70	2.983	15.90	3.931	15.90	3.931	15.90	3.931	15.90	3.931	15.90	3.931	14.70	2.983	14.70	2.983
12.600	47.50	-7.033	14.99	3.008	16.19	3.983	16.19	3.983	16.19	3.983	16.19	3.983	16.19	3.983	14.99	3.008	14.99	3.008
12.800	44.57	-7.110	15.28	2.975	16.48	3.913	16.48	3.913	16.48	3.913	16.48	3.913	16.48	3.913	15.28	2.975	15.28	2.975
13.000	49.83	-7.709	15.56	3.071	16.76	4.082	16.76	4.082	16.76	4.082	16.76	4.082	16.76	4.082	15.56	3.071	15.56	3.071
13.200	50.68	-8.220	15.87	2.966	17.07	3.969	17.07	3.969	17.07	3.969	17.07	3.969	17.07	3.969	15.87	2.966	15.87	2.966
13.400	44.66	-8.109	16.13	2.873	17.33	3.797	17.33	3.797	17.33	3.797	17.33	3.797	17.33	3.797	16.13	2.873	16.13	2.873
13.600	43.69	-8.130	16.42	3.002	17.62	3.935	17.62	3.935	17.62	3.935	17.62	3.935	17.62	3.935	16.42	3.002	16.42	3.002
13.800	41.77	-8.206	16.69	3.007	17.89	3.917	17.89	3.917	17.89	3.917	17.89	3.917	17.89	3.917	16.69	3.007	16.69	3.007
14.000	46.50	-8.383	16.95	3.413	18.15	4.435	18.15	4.435	18.15	4.435	18.15	4.435	18.15	4.435	16.95	3.413	16.95	3.413
14.200	36.76	-8.312	17.29	2.963	18.49	3.808	18.49	3.808	18.49	3.808	18.49	3.808	18.49	3.808	17.29	2.963	17.29	2.963
14.400	33.32	-8.464	17.54	2.745	18.74	3.518	18.74	3.518	18.74	3.518	18.74	3.518	18.74	3.518	17.54	2.745	17.54	2.745
14.600	32.05	-8.748	17.80	2.626	19.00	3.369	19.00	3.369	19.00	3.369	19.00	3.369	19.00	3.369	17.80	2.626	17.80	2.626
14.800	32.63	-8.892	18.06	2.742	19.26	3.507	19.26	3.507	19.26	3.507	19.26	3.507	19.26	3.507	18.06	2.742	18.06	2.742
15.000	32.20	-9.215	18.27	2.640	19.47	3.387	19.47	3.387	19.47	3.387	19.47	3.387	19.47	3.387	18.27	2.640	18.27	2.640
15.200	33.72	-9.606	18.63	2.746	19.83	3.525	19.83	3.525	19.83	3.525	19.83	3.525	19.83	3.525	18.63	2.746	18.63	2.746
15.400	40.95	-10.310	19.01	3.100	20.21	4.014	20.21	4.014	20.21	4.014	20.21	4.014	20.21	4.014	19.01	3.100	19.01	3.100
15.600	48.49	-10.904	19.35	3.459	20.55	4.512	20.55	4.512	20.55	4.512	20.55	4.512	20.55	4.512	19.35	3.459	19.35	3.459
15.800	71.96	-12.421	19.74	3.855	20.94	5.223	20.94	5.223	20.94	5.223	20.94	5.223	20.94	5.223	19.74	3.855	19.74	3.855
16.000	34.22	-10.930	20.06	2.853	21.26	3.652	21.26	3.652	21.26	3.652	21.26	3.652	21.26	3.652	20.06	2.853	20.06	2.853
16.200	30.67	-11.078	20.38	2.654	21.58	3.383	21.58	3.383	21.58	3.383	21.58	3.383	21.58	3.383	20.38	2.654	20.38	2.654
16.400	31.56	-11.567	20.76	2.667	21.96	3.409	21.96	3.409	21.96	3.409	21.96	3.409	21.96	3.409	20.76	2.667	20.76	2.667
16.600	41.94	-13.513	21.14	2.440	22.34	3.268	22.34	3.268	22.34	3.268	22.34	3.268	22.34	3.268	21.14	2.440	21.14	2.440
16.800	62.33	-14.439	21.50	3.108	22.70	4.254	22.70	4.254	22.70	4.254	22.70	4.254	22.70	4.254	21.50	3.108	21.50	3.108
17.000	59.18	-15.690	21.88	2.267	23.08	3.232	23.08	3.232	23.08	3.232	23.08	3.232	23.08	3.232	21.88	2.267	21.88	2.267
17.200	69.72	-15.904	22.22	2.781	23.42	3.939	23.42	3.939	23.42	3.939	23.42	3.939	23.42	3.939	22.22	2.781	22.22	2.781